



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

U.S. APPLICATION NUMBER NO.	FIRST NAMED APPLICANT	ATTY, DOCKET NO.
10/578,470	Bollekens	33264-US-PCT
75074 NOVARTIS INSTITUTES FOR BIOMEDICAL RESEARCH, INC. 400 TECHNOLOGY SQUARE CAMBRIDGE, MA 02139		INTERNATIONAL APPLICATION NO. PCT/EP04/12572
		LA. FILING DATE 11/07/2003
		PRIORITY DATE

**CONFIRMATION NO. 7026**  
**371 FORMALITIES LETTER**



Date Mailed: 06/03/2008

## NOTIFICATION OF DEFECTIVE RESPONSE

The following items have been submitted by the applicant or the IB to the United States Patent and Trademark Office as a Designated Office (37 CFR 1.494):

- Copy of the International Application filed on 05/08/2006
- Copy of the International Search Report filed on 05/08/2006
- Copy of IPE Report filed on 05/08/2006
- Preliminary Amendments filed on 05/08/2006
- Oath or Declaration filed on 04/18/2008
- U.S. Basic National Fees filed on 05/08/2006
- Priority Documents filed on 05/08/2006

Applicant's response filed 04/18/2008 is hereby acknowledged. The following requirements set forth in the NOTIFICATION of MISSING REQUIREMENTS mailed 02/12/2008 have not been completed.

- A copy of the "Sequence Listing" in computer readable form has not been submitted as required by 37 CFR 1.821(e). If the effective filing date is on or after September 8, 2000, see the final rulemaking notice published in the Federal Register at 65 FR 54604 (September 8, 2000) and 1238 OG 145 (September 19, 2000). Applicant must provide an initial computer readable form (CRF) copy of the "Sequence Listing" and a statement that the content of the sequence listing information recorded in computer readable form is identical to the written (on paper or compact disc) sequence listing and, where applicable, includes no new matter, as required by 37 CFR 1.821(e), 1.821(f), 1.821(g), 1.825(b), or 1.825(d). If applicant desires the sequence listing in the instant application to be identical with that of another application on file in the U.S. Patent and Trademark Office, such request in accordance with 37 CFR 1.821(e) may be submitted in lieu of a new CRF.

**Applicant is required to complete the response within a time limit of ONE MONTH from the date of this Notification or within the time remaining in the response set forth in the Notification of Missing Requirements, whichever is the longer. No extension of this time limit may be granted under 37 CFR 1.136, but the period for response set in the Notification of Missing Requirements may be extended under 37 CFR 1.136(a).**

Applicant is cautioned that correction of the above items may cause the specification and drawings page count to exceed 100 pages. If the specification and drawings exceed 100 pages, applicant will need to submit the required application size fee.

**For questions regarding compliance to 37 CFR 1.821-1.825 requirements, please contact:**

- **For Rules Interpretation, call (571) 272-0951**

- **For Patentin Software Program Help, call Patent EBC at 1-866-217-9197 or directly at 703-305-3028 / 703-308-6845 between the hours of 6 a.m. and 12 midnight, Monday through Friday, EST.**
- **Send e-mail correspondence for Patentin Software Program Help @ [ebc@uspto.gov](mailto:ebc@uspto.gov)**

Applicant is reminded that any communications to the United States Patent and Trademark Office must be mailed to the address given in the heading and include the U.S. application no. shown above (37 CFR 1.5)

Registered users of EFS-Web may alternatively submit their reply to this notice via EFS-Web.  
<https://sportal.uspto.gov/authenticate/AuthenticateUserLocalEPF.html>

For more information about EFS-Web please call the USPTO Electronic Business Center at **1-866-217-9197** or visit our website at <http://www.uspto.gov/ebc>.

**If you are not using EFS-Web to submit your reply, you must include a copy of this notice.**

TERRY M JOHNSON-VESSELS

---

Telephone: (703) 308-9140 EXT 221